



2015 PAPA Regional Technical Meetings

eCAMMS

eCAMMS

- Web based system
 - Go-Live 4/28/2014
 - Username & Password accessible
 - Permissions (Test Reports, JMF, and ESB)
 - Series of Releases (fixes and additional enhancements)
 - Up to Release 6.2

eCAMMS Release 6 - JMF

- Release 6 – Effective 1/30/2015
 - Supplier Entry & Submittal of JMFs
 - Bituminous & Concrete JMFs
 - Workflow to responsible District
 - District Review & Approval or Return
- Initial Issues
 - Copy button & Attachments
 - Fixed with eCAMMS Release 6.2 (Effective 3/12/2015)
 - Cannot Print TR-448A
 - Print TR-448A - Release 7 (Scheduled for 6/4/2015)
 - Workaround using Attachments

eCAMMS JMF - March 13, 2015 Letter to all Bulletin 41 Suppliers

- RE: Use of eCAMMS for JMF Entry & Submission
 - If have JMF access (individual with Username & Password with JMF permission), begin entering & submitting JMFs in eCAMMS
 - If do not have JMF access, immediately request JMF access/permission – Business Partner Request Form
 - Modify User
 - New User
 - JMF permission
 - Release 7 (Scheduled for 6/4/2015) – Required JMF Entry & Submission in eCAMMS
 - Exceptions on JMF-by-JMF basis

eCAMMS JMF - March 13, 2015 Letter to all Bulletin 41 Suppliers

- RE: Use of eCAMMS for JMF Entry & Submission
 - Attach completed/signed TR-448A (2-15) as Attachment
 - District can download, sign & reattach for printing
 - Info on attached TR-448A same as eCAMMS data
 - Self Help Guides on eCAMMS Support Web page
 - JMF Supplier Entry Overview
 - JMF Instruction Guide for Supplier Entry
 - Enter & submit only those JMFs intending to use this construction season

eCAMMS Release 6.2 - ESB

- Release 6.2 – Effective 3/12/2015
 - Supplier Entry of Bituminous QC Testing Data
 - Former Excel Burnoff and Volumetric Spreadsheet
 - Former Excel Centrifuge and Volumetric Spreadsheet
 - Continued use of other Excel ESB spreadsheets
 - ESB requires Username & Password permission
 - Business Partner Request Form
 - Modify User (ESB permission)
 - New User (ESB permission)
 - Currently 60% of approved Bulletin 41 Suppliers have at least one individual with permission to JMF and ESB

eCAMMS ESB Use

- PennDOT Letter to all Bulletin 41 Suppliers forthcoming
 - If have ESB access (individual with Username & Password with ESB permission), begin entering QC data in eCAMMS by JMF
 - If do not have ESB access, immediately request ESB access/permission – Business Partner Request Form
 - Required use of eCAMMS ESB effective on June 1, 2015.
 - Self Help Guides on eCAMMS Support Web page
 - ESB User Guide

eCAMMS ESB Use

- Double data entry
 - If began entering QC data for a JMF in the Excel ESB spreadsheet, must double enter in Excel and in eCAMMS starting June 1, 2015 until end of year.
 - Unless reenter data entered in Excel version in eCAMMS ESB before adding new QC data in eCAMMS ESB.
 - Encourage immediate use of eCAMMS ESB.
 - At least one system has complete CY JMF QC data

eCAMMS ESB Use

- Differences from Excel ESB spreadsheet
 - eCAMMS times out in 30 minutes with non-use
 - Intermittent shorter timeouts
 - Only one (1) JMF can be open at a time to enter QC data
 - Action points – do not turn red or italicize – codes appear
 - Action points – codes do not appear until action point exceeded and not when action point reached
 - Still need to use the other Excel ESB spreadsheets:
 - Project and Plant Summaries
 - Coarse & Fine Aggregate Gradations
 - RAP Burnoff, etc.

Questions